

REFERENCES

- Abraham JL, Smith CM, & Mossman B (1988) Chrysotile and crocidolite asbestos pulmonary fibre concentrations and dimensions after inhalation and clearance in Fischer 344 rats. *Ann Occup Hyg*, **32** (suppl.1): 203-211.
- Acheson ED, Gardner MJ, Pippard EC, & Grime LP (1982) Mortality of two groups of women who manufactured gas masks from chrysotile and crocidolite asbestos: a 40-year follow-up. *Br J Ind Med*, **39**: 344-348.
- Adachi S, Kawamura K, Yoshida S, & Takemoto K (1992) Oxidative damage on DNA induced by asbestos and man-made fibres *in vitro*. *Int Arch Occup Environ Health*, **63**: 553-557.
- Addison J & Davies ST (1990) Analysis of amphibole asbestos in chrysotile and other minerals. *Ann Occup Hyg*, **34**: 159-175.
- AIA (1984) Method for the determination of airborne asbestos fibres and other inorganic fibres by scanning electron microscopy. London, Asbestos International Association, p 16.
- AIA (1988) Reference method for the determination of airborne asbestos fibres concentrations at workplaces by light microscopy (membrane filter method). London, Asbestos International Association.
- AIA (1995) AIA Proceedings of the 9th Biennial Conference. Montreal, 29-31 May 1995.
- Albin M, Jakobsson K, Attewell R, Johansson L, & Wilinder H (1990) Mortality and cancer morbidity in cohorts of asbestos cement workers and referents. *Br J Ind Med*, **47**: 602-610.
- Alies-Patin AM & Valleron AJ (1985) Mortality of workers in a French asbestos cement factory 1940-1982. *Br J Ind Med*, **42**: 219-225.
- Asgharian B & Yu CP (1988) Deposition of fibres in the rat lung. *J Aerosol Med*, **1**: 37-50.
- Atkinson RJ (1973) Chrysotile asbestos: colloidal silica surfaces in acidified suspensions. *J Colloid Interface Sci*, **42**: 624-628.
- Ayer HE, Lynch JR, & Fannery JH (1965) A comparison of impinger and membrane filter techniques for evaluating air samples in asbestos plants. *Ann NY Acad Sci*, **132**: 274-287.
- Babich H & Stotzky G (1983) Toxicity of nickel to microbe: Environmental aspects. *Adv Appl Microbiol*, **29**: 195-266.
- Bacon DW, Coomes OT, Marsan AA, & Rowlands N (1986) Assessing potential sources of asbestos fibers in water supplies of S.E. Quebec. *Water Res Bull*, **22**: 29-38.
- Badollet MS (1948) Research on asbestos fibers. *Can Min Metal Trans*, **51**: 48-51.
- Badollet MS & Gannt WA (1965) Preparation of asbestos fibres for experimental use. *Ann Acad Sci*, **132**: 451-455.
- Bales RC & Morgan JJ (1985) Surface charge and adsorption properties of chrysotile asbestos in natural water. *Environ Sci Technol*, **19**: 1213-1219.
- Baloyi R (1989) Exposure to asbestos among chrysotile miners, millers and mine residents and asbestosis in Zimbabwe. Helsinki, Institute of Occupational Health, University of Kuopio, pp 1-95 (Dissertation).

References

- Becklake MR, Liddell FDK, Manfreda J, & McDonald JC (1979) Radiological changes after withdrawal from asbestos exposure. *Br J Ind Med*, **36**: 23-28.
- Becklake MR, Gibbs GW, Arhiri M, & Hurwitz S (1980) Respiratory changes in relation to asbestos exposure in manufacturing processes. *Am Rev Respir Dis*, **121**: 223.
- Begin R, Masse S, Rola-Pleszczynski M, Boctor M, & Drapeau G (1987) Asbestos exposure dose - bronchoalveolar milieu response in asbestos workers and the sheep model: evidences of a threshold for chrysotile-induced fibrosis. In: Fisher GL & Gallo MA ed. *Asbestos toxicity*. New York, Basel, Marcel Dekker Inc., pp 87-107.
- Begin R, Masse S, Rola-Pleszczynski M, Drapeau G, & Dalle D (1985) Selective exposure and analysis of the sheep tracheal lobe as a model for toxicological studies of respirable particles. *Environ Res*, **36**: 389-404.
- Begin R, Masse S, Sebastien P, Bosse J, Rola-Pleszczynski M, Boctor M, Cote Y, Fabi D, & Dalle D (1986) Asbestos exposure and retention as determinants of airway disease and asbestos alveolitis. *Am Rev Respir Dis*, **134**: 1176-1181.
- Begin R, Cantin A, & Sebastien P (1990) Chrysotile asbestos exposures can produce an alveolitis with limited fibrosing activity in a subset of high fibre retainer sheep. *Eur Respir J*, **3**: 81-90.
- Begin R, Cantin A, & Masse S (1991) Influence of continued asbestos exposure on the outcome of asbestosis in sheep. *Exp Lung Res*, **17**: 971-984.
- Begin R, Gauthier JJ, Desmeules M, & Ostiguy G (1992) Work-related mesothelioma in Quebec 1967-90. *Am J Ind Med*, **22**: 531-542.
- Belanger SE, Cherry DS, & Cairns J (1986a) Uptake of chrysotile asbestos fibers alters growth and reproduction of Asiatic clams. *Can J Fish Aquat Sci*, **43**: 43-52.
- Belanger SE, Cherry DS, & Cairns J (1986b) Seasonal, behavioral and growth changes of juvenile *Corbicula fluminea* exposed to chrysotile asbestos. *Water Res*, **20**: 1243-1250.
- Belanger SE, Schurr K, Allen DJ, & Gohara AF (1986c) Effects of chrysotile asbestos on Coho salmon and green sunfish: evidence of behavioral and pathological stress. *Environ Res*, **39**: 74-83.
- Belanger SE, Cherry DS, Cairns J, & McGuire MJ (1987) Using Asiatic clams as a biomonitor for chrysotile asbestos in public water supplies. *J Am Water Works Assoc*, **79**: 69-74.
- Belanger SE, Cherry DS, & Cairns J Jr (1990) Functional and pathological impairment of Japanese Medaka (*Oryzias latipes*) by long-term asbestos exposure. *Aquat Toxicol*, **17**: 133-154.
- Bellmann B, Muhle H, Pott F, Konig H, Kloppel H, & Sourny K (1987) Persistence of man-made mineral fibres and asbestos in rat lungs. *Ann Occup Hyg*, **31**: 693-709.
- Berry G & Newhouse ML (1983) Mortality of workers manufacturing friction products using asbestos. *Br J Ind Med*, **40**: 1-7.
- Berry G, Gilson JC, Holmes S, Lewinsohn HC, & Roach SA (1979) Asbestosis: a study of dose-response relationships in an asbestos textile factory. *Br J Ind Med*, **36**: 98-112.
- Berry G, Newhouse M, & Antonis P (1985) Combined effects of asbestos and smoking on mortality from lung cancer and mesothelioma in factory workers. *Br J Ind Med*, **42**: 12-18.

EHC 203: Chrysotile Asbestos

Bérubé KA, Quinlan TR, Mouton G, Hemenway D, o'Shaughnessy P, Vacek P, & Mossman BT (1996) Comparative proliferative and histopathologic changes in rat lungs after inhalation of chrysotile or crocidolite asbestos. *Oncol Appl Pharmacol*, **137**: 67-74.

Bignon J & Brochard P (1995) Enquête cas-témoins multicentrique portant sur le mésothéliome pleural: période 1987-1993. Report to the French Ministry of Health.

Bignon J, Monchaux G, Hirsch A, Sebastien P, & Lafuma J (1979) Human and experimental data on translocation of asbestos fibres through the respiratory system. *Ann NY Acad Sci*, **330**: 745-770.

Bissonnette E, Dubois C, & Rola-Pleszczynski M (1989) Changes in lymphocyte function and lung histology during the development of asbestosis and silicosis in the mouse. *Res Commun Chem Pathol Pharmacol*, **65**: 211-227.

Boatman ES, Merrill T, O'Neill A, Polissar L, & Millette JR (1983) Use of quantitative analysis of urine to assess exposure to asbestos fibers in drinking water in the Puget Sound region. *Environ Health Perspect*, **53**: 131-139.

Bohning DE, Atkins HL, & Cohn SH (1982) Long-term particle clearance in man: normal and impaired. *Ann Occup Hyg*, **26**: 259-271.

Bolton RE, Davis JM, & Lamb D (1982) The pathological effects of prolonged asbestos ingestion in rats. *Environ Res*, **29**: 134-150.

Bonner JC & Brody AR (1991) Asbestos-induced alveolar injury - evidence from macrophage-derived PDGF as a mediator of the fibrogenic response. *Chest*, **99**: 54-55.

Bonner JC, Goodell AL, Coin PG, & Brody AR (1993) Chrysotile asbestos up-regulates gene expression and production of alpha-receptors for platelet-derived growth factor (pdgf-aa) on rat lung fibroblasts. *J Clin Invest*, **92**: 425-430.

Bordeleau LM, LaLande R, DeKimpe CR, Zizka J, & Tabi M (1977) Effets des poussières d'amiante sur la microflore tellurique. *Plant Soil*, **46**: 619-627.

Boutin C, Dumortier P, Rey F, Viallat JR, & De Vuyst P (1993) Oncogenic asbestos fibers in the parietal pleura. In: *Proceedings of a Workshop on Cellular and Molecular Effects of Minerals and Synthetic Dusts and Fibres*. Paris, Moncassin.

Bowes DR, Langer AM, & Rohl AN (1977) Nature and range of mineral dusts in the environment. *Philos Trans R Soc (Lond)*, **A286**: 593-610.

Bozelka BE, Sestini P, Hammad Y, & Salvaggio JE (1986) Effects of asbestos fibers on alveolar macrophage-mediated lymphocyte cytostasis. *Environ Res*, **40**: 172-180.

Bravo M, Del Rey-Calero J, & Conde M (1988) Bladder cancer and asbestosis in Spain. *Rev Epidemiol Santé Publique*, **36**: 10-14.

Brody AR & Overby LH (1989) Incorporation of tritiated thymidine by epithelial and interstitial cells in bronchiolar-alveolar regions of asbestos exposed rats. *Am J Pathol*, **134**: 133-140.

Brody AR & Roe MW (1983) Deposition pattern of inorganic particles at the alveolar level in the lungs of rats and mice. *Am Rev Respir Dis*, **128**: 724-729.

Brody AR, Hill LH, Adkins B Jr, & O'Connor RW (1981) Chrysotile asbestos inhalation in rats: deposition pattern and reaction of alveolar epithelium and pulmonary macrophages. *Am Rev Respir Dis*, **123**: 670-679.

References

- Brooks RR (1987) *Serpentine and its vegetation*. Portland, Oregon, Dioscorides Press Ltd, 454 pp.
- Brown LM, Dement J, & Okun A (1994) Mortality patterns among female and male asbestos textile workers. *J Occup Med*, **36**: 882-888.
- Bunn WB, Bender JR, Hesterberg TW, Chase GR, & Konzen JL (1993) Recent studies of man-made vitreous fibers: Chronic animals inhalation studies. *J Occup Med*, **35**: 101-113.
- Burdett GJ & Jaffrey SAMT (1986) Airborne asbestos concentrations in public buildings. *Ann Occup Hyg*, **30**: 185-190.
- Burger BF & Engelbrecht FM (1970) The biological effects of long and short fibres of crocidolite and chrysotile A after intrapleural injection into rats. *S Afr Med J*, **44**: 1268-1278.
- Canada Environmental Health Directorate (1979) A national survey for asbestos fibres in Canadian drinking-water. Ottawa, Canada, Environmental Health Directorate.
- Cantin A, Dubois F, & Begin R (1988) Lung exposure to mineral dusts enhances the capacity of lung inflammatory cells to release superoxide. *J Leukoc Biol*, **43**: 299-303.
- Cantin A, Allard C, & Begin R (1989) Increased alveolar plasminogen activator in early asbestosis. *Am Rev Respir Dis*, **139**: 604-609.
- Case BW, Kuhar M, Harrigan M, & Defresne A (1994) Lung fibre content of American children aged 8-15: preliminary findings. In: Dodgson J & McCallum RI ed. *Proceedings of the 7th BOHS Inhaled Particles Symposium*, Edinburgh. *Ann Occup Hyg*, **38**(4): 639-645.
- CEC (1983) Council directive on the protection of workers from the risks related to exposure to asbestos at work. *Off J Eur Communities*, **L263**: 25.
- Chang LY, Overby LH, Brody AR, & Crapo JD (1988) Progressive lung cell reactions and extracellular matrix production after a brief exposure to asbestos. *Am J Pathol*, **131**: 156-169.
- Chatfield E (1979) Measurement of asbestos fibres in the workplace and in the general environment. In: Ledoux RL ed. *Short course in mineralogical techniques of asbestos determination*. Ottawa, Mineralogical Association of Canada, pp 111-163.
- Chatfield E (1986) Airborne asbestos levels in Canadian public buildings. In: Chatfield E ed. *Asbestos fibres measurements in building atmospheres - Proceedings*. Mississauga, Ontario, Ontario Research Foundation, pp 177-207.
- Chatfield E (1987) Limits of detection and precision in monitoring for asbestos fibers. In: *Asbestosis - its health risks, analysis, regulation and control*. Proceeding of APCA Specialty Conference. Atlantic City, New York, Air Pollution Control Association, pp 79-90.
- Chen L, Li Q, Hu T, & Guo J (1988) [A historical prospective investigation of malignant tumours in a Shanghai asbestos product factory.] *Labour Med*, **1**: 6-9 (in Chinese).
- Cheng W & Kong J (1992) A retrospective mortality cohort study of chrysotile asbestos products workers in Tianjin 1972-1987. *Environ Res*, **59**: 271-278.
- Cheng VKI & O'Kelly FJ (1986) Asbestos exposure in the motor vehicle repair and servicing industry in Hong Kong. *J Soc Occup Med*, **36**: 104-106.

EHC 203: Chrysotile Asbestos

- Chesson J, Margeson DP, Ogden J, Bauer K, Constant PC, Bergman FJ, & Rose DP (1985) Evaluation of asbestos abatement techniques. Phase 1: Removal. Washington, DC, US Environmental Protection Agency (EPA-560/5-85-109).
- Chesson J, Hatfield J, Schultz B, Dutrow E, & Blake J (1990) Airborne asbestos in public buildings. *Environ Res*, **51**: 100-107.
- Chiappino G, Todaro A, & Sebastien P (1993) The levels of asbestos fibres in Italian towns: what is the level of risk? In: Gibbs WH, Dunnigan J, Kido M, & Higashi T ed. Health risks from exposure to mineral fibres. North York, Captus Press Inc., pp 120-128.
- Churchyard MP & Copeland GKE (1988) Is it really chrysotile? *Ann Occup Hyg*, **32**: 545-547
- Churg A (1994) Deposition and clearance of chrysotile asbestos. *Ann Occup Hyg*, **38**: 625-633.
- Churg A & DePaoli L (1988) Clearance of chrysotile asbestos from human lung. *Exp Lung Res*, **14**: 567-574.
- Churg A, Wright JL, Gilks B, & DePaoli L (1989) Rapid short term clearance of chrysotile compared to amosite asbestos in the guinea pig. *Am Rev Respir Dis*, **139**: 885-890.
- Churg A, Wright JL, & Vedal S (1993) Fiber burden and patterns of asbestos-related disease in chrysotile miners and millers. *Am Rev Respir Dis*, **148**: 25-31.
- Clemmensen J & Hjalgrim-Jensen S (1981) Cancer incidence among 5686 asbestos-cement workers followed from 1943 through 1976. *Ecotoxicol Environ Saf*, **5**: 15-23.
- Coffin DL, Cook PM, & Creason JP (1992) Relative mesothelioma induction in rats by mineral fibres: comparison with residual pulmonary mineral fibre number and epidemiology. *Inhal Toxicol*, **4**: 273-300.
- Cohen D, Arai S, & Brain JD (1979) Smoking impairs long-term dust clearance from the lung. *Science*, **204**: 97-116.
- Coin PG, Roggli VL, & Brody AR (1992) Deposition, clearance and translocation of chrysotile asbestos from peripheral and central regions of the rat lung. *Environ Res*, **58**: 97-116.
- Coin PG, Roggli VL, & Brody AR (1994) Persistence of long thin chrysotile asbestos fibres in the lungs of rats. *Environ Health Perspect*, **102**(Suppl 5): 197-199.
- Commins BT & Gibbs GW (1969) Contaminating organic material in asbestos. *Br J Cancer*, **23**: 358-362.
- Condie LW (1983) Review of published studies of orally administered asbestos. *Environ Health Perspect*, **53**: 3-9.
- Cook PM (1983) Review of published studies on gut penetration by ingested asbestos fibres. *Environ Health Perspect*, **53**: 121-130.
- Cooper TC, Sheehy JW, O'Brien DM, McGlothlin JD, & Todd WF (1988) In-depth survey report: evaluation of brake drum service controls at Cincinnati gas and electric garages. Cincinnati, Ohio, National Institute of Occupational Safety and Health (Report CT-152-22b).
- Cordier S, Theriault G, & Provencher S (1984) Radiographic changes in a group of chrysotile miners and millers exposed to low asbestos concentrations. *Br J Ind Med*, **41**: 384-388.

References

- Corn M (1994) Airborne concentrations of asbestos in nonoccupational environments. *Ann Occup Hyg*, **38**: 495-502.
- Corn M, Crump K, Farrar DB, Lee RJ, & McFee DR (1991) Airborne concentrations of asbestos in 71 school buildings. *Regul Toxicol Pharmacol*, **13**: 99-114.
- Corn M, McArthur B, & Dellarco M (1994) Asbestos exposures in building maintenance personnel. *Appl Occup Environ Hyg*, **9**: 845-852.
- Corpet DE, Perot V, & Goubet I (1993) Asbestos induces aberrant crypt foci in the colon of rats. *Cancer Lett*, **74**(3): 183-187.
- Cossette M & Delvaux P (1979) Technical evaluation of chrysotile asbestos ore bodies. In: Ledoux RL ed. *Short course in mineralogical techniques of asbestos determination*. Ottawa, Mineralogical Association of Canada, pp 79-110.
- Cossette M, Delvaux P, VanHa T, L'Esperance C, & Belleville GG (1986) Physiological innocuity of asbestos in water. *Northeast Environ Sci*, **5**: 54-62.
- Cralley LJ, Keenan RG, & Lynch JR (1967) Exposure to metals and the manufacture of asbestos textile products. *Am Ind Hyg Assoc J*, **28**: 452-461.
- Crump KS & Farrar DB (1989) Statistical analysis of data on airborne asbestos levels collected in an EPA survey of public buildings. *Regul Toxicol Pharmacol*, **10**: 51-62.
- CPSC (1987) Report on the first round of air sampling of asbestos in home study. Washington, DC, US Consumer Product Safety Commission.
- Cullen MR & Baloyi R (1991) Chrysotile asbestos and health in Zimbabwe: I. Analysis of miners and millers compensated for asbestos-related diseases since independence (1980). *Am J Ind Med*, **19**: 161-169.
- Cullen MR, Lopez-Carillo L, Alli B, Pace PE, Shlat SL, & Baloyi RS (1991) Chrysotile asbestos and health in Zimbabwe: II. Health status survey of active miners and millers. *Am J Ind Med*, **19**: 171-182.
- Dagbert M (1976) Etudes de corrélation de mesures d'empoussiérage dans l'industrie de l'amiante. Montréal, Comité d'Etude sur la Salubrité dans l'Industrie de l'Amiante, 114 pp. (Document 5).
- Davis JMG (1972) The fibrogenic effects of mineral dust injected into the pleural cavity of mice. *Br J Exp Pathol*, **53**: 190-195.
- Davis JMG (1989) Mineral fibres carcinogenesis: Experimental data relating to the importance of fibre type, size, deposition, dissolution and migration. In: Bignon J, Peto J, & Saracci R ed. *Non-occupational exposure to mineral fibres*. Lyon, International Agency for Research on Cancer, pp 33-45 (IARC Scientific Publications No. 90).
- Davis JMG (1993) Information from experimental studies relating to the effects of ingestion of mineral fibres. In: Gibbs GW, Dunnigan J, Kido M, & Higashi T ed. *Health risks from exposure to mineral fibres - an International Perspective*. North York, Captus University Publications, pp 152-163.
- Davis JMG & Cowie H (1990) The relationship between fibrosis and cancer in experimental animals exposed to asbestos and other fibers. *Environ Health Perspect*, **88**: 305-309.

EHC 203: Chrysotile Asbestos

Davis JMG & Jones AD (1988) Comparisons of the pathogenicity of long and short fibre of chrysotile asbestos in rats. *Br J Exp Pathol*, **69**: 717-737.

Davis JMG, Beckett ST, Bolton RE, Collings P, & Middleton AP (1978) Mass and number of fibres in the pathogenesis of asbestos-related lung disease in rats. *Br J Cancer*, **37**: 673-688.

Davis JMG, Beckett ST, Bolton RE, & Donaldson K (1980) The effects of intermittent high asbestos exposure (peak dose levels) on the lungs of rats. *Br J Exp Pathol*, **61**: 272-280.

Davis JMG, Addison J, Bolton RE, Donaldson K, Jones AD, & Miller BG (1985) Inhalation studies on the effects of tremolite and brucite dust in rats. *Carcinogenesis*, **5**: 667-674.

Davis JMG, Addison J, Bolton RE, Donaldson K, & Jones AD (1986a) Inhalation and injection studies in rats using dust samples from chrysotile asbestos prepared by a wet dispersion process. *Br J Exp Pathol*, **67**: 113-129.

Davis JMG, Addison J, Bolton RE, Donaldson K, Jones AD, & Smith T (1986b) The pathogenicity of long versus short fibre samples of amosite asbestos administered to rats by inhalation and intraperitoneal injection. *Br J Exp Pathol*, **67**: 473-491.

Davis JMG, Bolton RE, Douglas AN, Jones AD, & Smith T (1988) The effects of electrostatic charge on the pathogenicity of chrysotile asbestos. *Br J Ind Med*, **45**: 337-345.

Davis JMG, Bolton RE, Brown DM, Brown GM, Donaldson K, Jones AD, Robertson MD, & Slight J (1989) *In vitro* studies of leucocytes lavaged from the lungs of rats following the inhalation of mineral dusts. In: Mossman BT & Begin RO ed. *Effects of mineral dusts on cells*. Berlin, Heidelberg, New York, Springer-Verlag, pp 337-345.

Davis JMG, Jones AD, & Miller BG (1991a) Experimental studies in rats on the effects of asbestos inhalation coupled with the inhalation of titanium dioxide or quartz. *Int J Exp Pathol*, **72**: 501-525.

Davis JMG, Bolton RE, Miller BG, & Niven K (1991b) Mesothelioma dose response following intraperitoneal injection of mineral fibres. *Int J Exp Pathol*, **72**: 263-274.

Davis JMG, Addison J, McIntosh C, Miller BGM, & Niven K (1991c) Variations in the carcinogenicity of tremolite dust samples of different morphology. *Ann NY Acad Sci*, **37**: 673-689.

Day R, Lemaire I, Masse S, & Lemaire S (1985) Pulmonary bombesin in experimentally induced asbestosis in rats. *Exp Lung Res*, **8**: 1-13.

Day R, Lemaire S, Nadeau D, Keith I, & Lemaire I (1987) Changes in autacoid and neuropeptide contents of lung cells in asbestos-induced pulmonary fibrosis. *Am Rev Respir Dis*, **136**: 908-915.

Dement JM (1991) Carcinogenicity of chrysotile asbestos: a case-control study of textile workers. *Cell Biol Toxicol*, **7**: 59-65.

Dement JM & Wallingford KM (1990) Comparison of phase contrast and electron microscopic methods for evaluation of occupational asbestos exposures. *Appl Occup Environ Hyg*, **5**(4): 242-247.

Dement JM, Harris RL, Symons MJ, & Shy CM (1983a) Exposures and mortality among chrysotile asbestos workers. Part I: Exposure estimates. *Am J Ind Med*, **4**: 399-419.

Dement JM, Harris RL, Symons MJ, & Shy CM (1983b) Exposures and mortality among chrysotile asbestos workers. Part II: Mortality. *Am J Ind Med*, **4**: 421-433.

References

- Dement JM, Brown DP, & Okun A (1994) Follow-up study of chrysotile asbestos textile workers: cohort mortality and case-control analyses. *Am J Ind Med*, **26**: 431-447.
- Deom E (1989) Plant diversity and mycorrhizal status of serpentine and adjacent soils. University of British Columbia, Department of Soil Science, 75 pp (BSc Thesis).
- Dodson RF, Williams MG, Corn CJ, Brollo A, & Bianchi C (1990) Asbestos content of lung tissue, lymph nodes, and pleural plaques from former shipyard workers. *Am Rev Respir Dis*, **142**: 843-847.
- Doll R (1955) Mortality from lung cancer in asbestos workers. *Br J Ind Med*, **12**: 81-86.
- Doll R & Peto J (1985) Effects on health of exposure to asbestos. London, Her Majesty's Stationery Office, Health & Safety Commission, pp 1-58.
- Donaldson K, Bolton RE, Jones A, Brown GM, Robertson MD, Slight J, Cowie H, & Davis JMG (1988a) Kinetics of the bronchoalveolar leucocyte response in rats during exposure to equal airborne mass concentrations of quartz, chrysotile asbestos or titanium dioxide. *Thorax*, **43**: 525-533.
- Donaldson K, Slight J, Brown GM, & Bolton RE (1988b) The ability of inflammatory bronchoalveolar leucocyte populations elicited with microbes or mineral dust to injure alveolar epithelial cells and degrade extracellular matrix *in vitro*. *Br J Exp Pathol*, **69**: 327-338.
- Donaldson K, Brown GM, Brown DM, Slight J, Robertson MD, & Davis IMG (1990) Impaired chemotactic responses of bronchoalveolar leukocytes in experimental pneumoconiosis. *J Pathol*, **160**: 63-69.
- Donham KJ, Berg JW, Will LA, & Leininger JR (1980) The effects of long-term ingestion of asbestos on the colon of F344 rats. *Cancer*, **45**: 1073.
- Dreesen WC, Dalavalle JW, Edwards TI, Miller JW, & Sayers RR (1938) A study of asbestos in the asbestos textile industry. Washington, DC, US Public Health Service (Public Health Bulletin No. 241).
- Dubois CM, Bissonnette E, & Rola-Pleszczynski P (1989) Asbestos fibers and silica particles stimulate rat alveolar macrophages to release tumor necrosis factor. *Am Rev Respir Dis*, **139**: 1257-1264.
- Du Toit RSJ & Gilfillan TC (1979) Conversion of asbestos fibre concentrations recorded by means of the konimeter and the thermal precipitator to that expected by means of the membrane filter method. *Ann Occup Hyg*, **22**: 67-83.
- Du Toit RSJ, Isserow LW, Gilfillan TC, Robock K, & Teichert U (1983) Relationships between simultaneous airborne dust sample taken with 5 types of instruments at South African asbestos mines and mills. *Ann Occup Hyg*, **27**: 373-387.
- Elliehausen HJ, Paur R, Roedelsperger K, & Weitowitz HJ (1985) [The risk of sequelae of asbestos inhalation in motor mechanics working in brake services.] *Arb. med Soz. med Praev. med*, **20**: 256-261 (in German).
- Enarson DA, Embree V, Maclean L, & Grzybowski S (1988) Respiratory health in chrysotile asbestos miners in British Columbia: a longitudinal study. *Br J Ind Med*, **45**: 459-463.
- Enterline PE, Hartley J, & Henderson V (1987) Asbestos and cancer: A cohort followed up to death. *Br J Ind Med*, **44**: 396-401.

EHC 203: Chrysotile Asbestos

- Fasske E (1988) Experimental lung tumors following specific intrabronchial application of chrysotile asbestos. *Respiration*, **53**: 111-127.
- Fatma N, Khan SG, Aslam M, & Rahman Q (1992) Induction of chromosomal aberrations in bone marrow cells of asbestotic rats. *Environ Res*, **57**: 175-180.
- Fei H & Huang JQ (1989) [A study on the relationship between gravimetric and fibre concentrations of airborne dust in asbestos paper industry.] *Gongye Weisheng Yu Zhiyebing*, **15**(6): 339-343 (in Chinese).
- Finkelstein M (1983) Mortality among long-term employees of an Ontario asbestos-cement factory. *Br J Ind Med*, **40**: 138-144.
- Finkelstein M (1984) Mortality among employees of an Ontario asbestos-cement factory. *Am Rev Respir Dis*, **129**: 754-761.
- Finn MB & Hallenbeck WH (1985) Detection of chrysotile asbestos in workers' urine. *Am Ind Hyg Assoc J*, **46**(3): 162-169.
- Frank AL (1995) The use of asbestos in Japan and China and malignancy related findings. *Med Lav*, **85**: 457-460.
- Gardner MJ, Winter PD, Pannett B, & Powell CA (1986) Follow-up study of workers manufacturing chrysotile asbestos cement product. *Br J Ind Med*, **43**: 726-732.
- Gasser U, Juchler SJ, Hobson WA, & Sticher H (1995) The fate of chromium and nickel in subalpine soils derived from serpentine. *Can J Soil Sci*, **75**: 187-195.
- Gaudichet A, Sebastien P, Clark NJ, & Pooley FD (1980) Identification and quantification of asbestos in human tissues. In: Wagner JC ed. *Biological effects of mineral fibres*. Lyon, International Agency for Research on Cancer, vol 2, pp 61-88 (IARC Scientific Publications No 30).
- Gazzi D & Crockford GW (1987) Indoor asbestos levels on a housing estate (determined by transmission electron microscopy). *Ann Occup Hyg*, **31**(4A): 429-439.
- Gerde P & Scholander P (1989) A model for the influence of inhaled mineral fibers on the pulmonary uptake of polycyclic aromatic hydrocarbons (PAH) from cigarette smoke. In: Wehner AP & Felton DV ed. *Biological interaction of inhaled fibers and cigarette smoke*. Richland, Washington, Battelle Pacific, pp 97-120.
- Gibbs GW (1971a) Qualitative aspects of dust exposure in the Quebec asbestos mining and milling industry. In: Walton WH ed. *Inhaled particles III*. Surrey, Unwin Brothers Ltd, pp 783-799.
- Gibbs GW (1971b) The organic geochemistry of chrysotile asbestos from eastern townships, Quebec. *Geochim Cosmochim Acta*, **35**: 585-502.
- Gibbs GW (1994) The assessment of exposure in terms of fibres. *Ann Occup Hyg*, **38**: 477-487.
- Gibbs GW & Hui HY (1971) The organic content of Canadian chrysotile. *Am Ind Hyg Assoc J*, **32**: 519-528.
- Gibbs GW & Hwang CY (1980) Dimensions of airborne asbestos fibres. In: Wagner JC ed. *Biological effects of mineral fibres*. Lyon, International Agency for Research on Cancer, pp 69-77 (IARC Scientific Publication No. 30).

References

- Gibbs GW & Lachance M (1972) Dust exposure in the chrysotile asbestos mines and mills of Quebec. *Arch Environ Health*, **24**: 189-197.
- Gibbs GW & Lachance M (1974) Dust-fibre relationships in Quebec chrysotile industry. *Arch Environ Health*, **28**: 69-71.
- Godbey FW, Cooper TC, Sheehy JWE, O'Brien DM, Van Wagenen HD, McGlothlin JD, & Todd WF (1987) In-depth survey report: Evaluation of brake drum service controls at United States postal service vehicle maintenance facility Nashville. Cincinnati, Ohio, National Institute of Occupational Safety and Health (Report CT-152-20b).
- Goldstein B & Coetzee FSJ (1990) Experimental malignant mesothelioma in baboons. *Suid-Afr Tydskr Wet*, **86**: 89-93.
- Gorski CH & Stettler LE (1974) The adsorption of water and benzene on amosite and chrysotile asbestos. *Am Ind Hyg Assoc J*, **35**: 354-361.
- Graney RJ, Cherry DS, & Crains J (1983) Heavy metal indicator potential of the Asiatic clam (*Corbicula fluminea*) in artificial stream systems. *Hydrobiologia*, **102**: 81-85.
- Gulumian M & Van Wyk JA (1987) Hydroxyl radical production in the presence of fibres by a fenton-type reaction. *Chem-Biol Interact*, **62**: 89-97.
- Hallenbeck WH, Chen EH, Patel-Mandlik K, & Wolff AH (1977) Precision of analysis for waterborne chrysotile asbestos by transmission electron microscopy. *Bull Environ Contam Toxicol*, **17**: 551-558.
- Hammad YY, Diem H, & Weill H (1979) Evaluation of dust exposure in asbestos cement manufacturing operations. *Am Ind Hyg Assoc J*, **40**: 490-495.
- Hannant D, Donaldson K, & Bolton RE (1985) Immunomodulatory effects of mineral dust. Effects of intraperitoneal dust inoculation on splenic lymphocyte function and humoral immune responses *in vivo*. *J Clin Immunol*, **16**: 81-85.
- Harrison PTC & Heath JC (1988) Apparent synergy between chrysotile asbestos and N-nitroheptamethyleneimine in the induction of pulmonary tumours in rats. *Carcinogenesis*, **9**: 2165-2171.
- Hartmann DP, Georgian MM, Oghiso Y, & Kagan E (1984a) Enhanced interleukin activity following asbestos inhalation. *Clin Exp Immunol*, **55**: 643-650.
- Hartmann DP, Georgian MM, & Kagan E (1984b) Enhanced alveolar macrophage Ia antigen expression after asbestos inhalation. *J Immunol*, **132**: 2693-2695.
- Harvey G, Page M, & Dumas L (1984) Binding of environmental carcinogens to asbestos and mineral fibres. *Br J Ind Med*, **41**: 396-400.
- Hatfield J, Ogden J, Srockrahm J, Leczynski B, Price B, Chesson J, Russel J, Ford P, Thomas J, Fitzgerald J, Roat R, Lee R, Van Orden D, Dunmyre G, Constant P, & McHugh J (1988) Assessing asbestos exposure in public buildings. Washington, DC, US Environmental Protection Agency (EPA-560/5-88-002).
- Hays AA, Venaille TJ, Rose AH, Musk AW, & Robinson WS (1990) Asbestos-induced release of a human alveolar macrophage-derived neutrophil chemotactic factor. *Exp Lung Res*, **16**: 121-130.

EHC 203: Chrysotile Asbestos

Hayward SB (1984) Field monitoring of chrysotile asbestos in California waters. *J Am Water Work Assoc*, **76**: 66-73.

HEI (1991) Asbestos in public and commercial buildings: A literature review and synthesis of current knowledge. Cambridge, Massachusetts, Health Effects Institute-Asbestos Research.

Hei TK, Piao CQ, He ZY, Vannais D, & Waldren, C (1992) Chrysotile fiber is a strong mutagen in mammalian cells. *Cancer Res*, **52**: 6305-6309.

Heintz NH, Janssen YM, & Mossman BT (1993) Persistent induction of c-fos and c-jun expression by asbestos. *Proc Natl Acad Sci (USA)*, **90**: 3299-3303.

Henderson DW, De Klerk NH, Hammar SP, Hillerdal G, Huuskonen MS, Leigh J, Pott F, Roggli VL, Shilkin KB, & Tossavainen A (1996) Asbestos and lung cancer: an old controversy revisited. In press.

Henderson DW, de Klerk NH, Hammar SP, Hillerdal G, Huuskonen MS, Leigh J, Pott F, Roggli VL, Shilkin KB, & Tossavainen A (1997) Asbestos and lung cancer: Is it attributable to asbestosis or to asbestos fiber burden? In: Corrin B ed. *Pathology of lung tumors*. New York, Edinburgh, London, Churchill Livingstone, pp 83-118.

Herman RL (1985) Mesothelioma in rainbow trout, *Salmo gairdneri* Richardson. *J Fish Dis*, **8**(4): 373-376.

Hesse CS, Hallenbeck WH, Chen EH, & Brenniman GR (1977) Determination of chrysotile asbestos in rain water. *Atmos Environ*, **11**: 1233-1237.

Hesterberg TW, Mast R, McConnell EE, Chevalier J, Bernstein DM, Bunn WB, & Anderson R (1991) Chronic inhalation toxicity of refractory ceramic fibers in Syrian hamsters. In: Brown RC, Hoskin JA, & Johnson NF ed. *Mechanisms of fibre carcinogenesis*. New York, Plenum Press, pp 531-539.

Hesterberg TW, Miller WC, McConnell EE, Chevalier J, Hadley JG, Bernstein DM, Thevenaz P, & Anderson R (1993) Chronic inhalation toxicity of size-separated glass fibers in Fischer 344 rats. *Fundam Appl Toxicol*, **20**: 464-476.

Higashi T, Hori H, Sakurai H, Omae K, Tsuda T, Tanaka T, Tanaka I, Satoh T, & Hoshi H (1994) Work environment of plants manufacturing asbestos-containing products in Japan. *Ann Occup Hyg*, **38**: 489-494.

Hirano S, Ono M, & Aimoto A (1988) Functional and biochemical effects on rat lungs following instillation of crocidolite and chrysotile asbestos. *J Toxicol Environ Health*, **24**: 27-39.

Hiroshima KK, Murai Y, Suzuki Y, Goldstein B, & Webster I (1993) Characterization of asbestos fibers in lungs and mesotheliomatous tissues of baboons following long-term inhalation. *Am J Ind Med*, **23**: 883-901.

HSE (Health and Safety Executive) (1979) Asbestos - Volume 1: Final report of the Advisory Committee. London, Her Majesty's Stationary Office.

Huang JQ (1990) A study on the dose-response relationship between asbestos exposure level and asbestosis among workers in a Chinese chrysotile product factory. *Biomed Environ Sci*, **3**: 90-98.

Hughes JM & Weill H (1991) Asbestosis as a precursor of asbestos related lung cancer: Results of a prospective mortality study. *Br J Ind Med*, **48**: 229-233.

References

- Hughes JM, Weill H, & Hammad YY (1987) Mortality of workers employed in two asbestos cement manufacturing plants. *Br J Ind Med*, **44**: 161-174.
- Huilan Z & Zhiming W (1993) Study of occupational lung cancer in asbestos factories in China. *Br J Ind Med*, **50**: 1039-1042.
- Hume LA & Rimstidt JD (1992) The biodurability of chrysotile asbestos. *Am Miner*, **77**: 1125-1128.
- IARC (1996) In: Kane AB, Saracci R, Boffetta P, & Wilbourn JD ed. Mechanisms of fibre carcinogenesis. Lyon, International Agency for Research on Cancer (IARC Publication No. 40).
- ILO (1984) Safety in the use of asbestos. Geneva, International Labour Office, 120 pp.
- Industrial Minerals (1990) Asbestos cement markets, full of Eastern promise.
- Industrial Minerals (1992) Asbestos production: the chrysotile crisis?
- IPCS (1986) Environmental health criteria 53: Asbestos and other natural mineral fibres. Geneva, World Health Organization, International Programme on Chemical Safety, 194 pp.
- IPCS (1988) Environmental health criteria 77: Man-made mineral fibres. Geneva, World Health Organization, International Programme on Chemical Safety, 165 pp.
- IPCS (1989) Reduction of asbestos in the environment. Geneva, World Health Organization, International Programme on Chemical Safety, 151 pp (ICS/89.34).
- IPCS (1993) Environmental health criteria 151: Selected synthetic organic fibres. Geneva, World Health Organization, International Programme on Chemical Safety, 100 pp.
- ISO (1991) Ambient air - Determination of asbestos fibres: direct transfer transmission electron microscopy procedure. Geneva, International Standard Organization, 85 pp (ISO/DP10312).
- ISO (1992) Ambient air: measurement of inorganic fibrous particles - scanning electron microscopy method. Geneva, International Standard Organization, 50 pp (ISO/TC 146 SC 3/WG1-N35).
- ISO (1993) Workplace atmospheres, determination of asbestos, phase contrast procedure. Geneva, International Standard Organization, 20 pp (ISO/TC 146/SC 2).
- Jacobs R, Humphrys S, Dogson KS, & Richards RJ (1978) Light and electron microscope studies of the rat digestive tract following prolonged and short-term ingestion of chrysotile asbestos. *Br J Exp Pathol*, **59**: 443-453.
- Jakobsson K, Albin M, & Hagmar L (1994) Asbestos, cement, and cancer in the right part of the colon. *J Environ Med*, **51**: 95-101.
- Jaffrey SAMT (1988) Releasability of asbestos fiber - Occupational medicine and hygiene laboratory. London, UK Health and Safety Executive (IR/L/DI/88/12).
- Jaffrey SAMT (1990) Environmental asbestos fiber release from brake and clutch linings of vehicular traffic. *Ann Occup Hyg*, **34**: 529-534.
- Jahn H, Roedelsperger K, Bruckel B, Manke J, & Weitowitz HJ (1985) [Asbestos dust risks in brake repair services.] *Staub-Reinhalt Luft*, **45**: 80-83 (in German).
- Jaurand MC, Bignon J, Sebastien P, & Goni J (1977) Leaching of chrysotile asbestos in human lungs: correlation with *in vitro* studies using rabbit alveolar macrophages. *Environ Res*, **14**: 245-254.

EHC 203: Chrysotile Asbestos

Jaurand MC, Kheuang L, Magne L, & Bignon J (1986) Chromosomal changes induced by chrysotile fibres or benzo(3-4)pyrene in rat pleural mesothelial cells. *Mutat Res*, **169**: 141-145.

Jaurand MC, Yegles M, & Dong HY (1994) *In vitro* DNA and chromosome damage produced by some minerals and man-made particles on rat pleural mesothelial cells (RPMC): Mechanism and relationship with *in vivo* experimental findings. In: Davis JMG & Jaurand MC ed. Cellular and molecular effects of mineral and synthetic dusts and fibres. Berlin, Heidelberg, Springer-Verlag, pp 183-192 (NATO ASI Series, Volume H85).

Jones J & McGuire MJ (1987) Dredging to reduce asbestos concentrations in the Californian aqueduct. *J Am Water Work Assoc*, **79**: 30-37.

Jones AD, Johnston AM, & Vincent JH (1983) Static electrification of airborne asbestos dust. In: Marple VA & Liu BYH ed. Aerosols in the mining and industrial work environment. Ann Arbor, Michigan, Ann Arbor Science Publishers Inc., vol 2, pp 613-632.

Jones RN, Diem JE, Hughes JM, Hammad YY, Glindmeyer HW, & Weill H (1989) Progression of asbestos effects: A prospective longitudinal study of chest radiographs and lung function. *Br J Ind Med*, **46**: 97-105.

Jones AD, Vincent JH, Addison J, McIntosh C, & Donaldson K (1994) The fate and effect of inhaled chrysotile asbestos fibres. *Ann Occup Hyg*, **38**(suppl 1): 619-629.

Juck A, Cambelova M, & Ulrich L (1991) Practice of determination and evaluation of asbestos and MMMF in the Slovak Republic. In: Proceedings of the AIA/NIOH International Colloquium on Dust Measurement Techniques and Strategy. Budapest, National Institute of Occupational Health, pp 83-94.

Julian Y & McCrone WC (1970) Identification of asbestos fibres by microscopical dispersion staining. *Microscope*, **18**: 1-11.

Kaplan H, Renier A, Jaurand MC, & Bignon J (1980) Sister chromatid exchanges in mesothelial cells cultured with chrysotile asbestos. In: Brown RC, Gormeley IP, Chamberlain M, & Daviers R ed. The *in vitro* effects of mineral dusts. New York, London, Academic Press, pp 152-253.

Kasai H & Nishimura S (1984) DNA damage induced by asbestos in the presence of hydrogen peroxide. *Gann*, **75**: 841-844.

Kauffer E, Vigneron JC, Hesbert A, & Lemorimer M (1987) A study of the length and diameter of fibres in lung and in bronchoalveolar lavage fluid, following exposure of rats to chrysotile asbestos. *Ann Occup Hyg*, **31**: 233-240.

Kauppinen T & Korhonen K (1987) Exposure to asbestos during brake maintenance of automotive vehicles by different methods. *Am Ind Hyg Assoc J*, **48**: 499-504.

Keith I, Day R, Lemaire S, & Lemaire I (1987) Asbestos-induced fibrosis in rats: increase in lung mast cells and autocoid contents. *Exp Lung Res*, **13**: 311-327.

Kenny LC (1984) Asbestos fibre counting by image analysis - the performance of the Manchester programme on Magiscan. *Ann Occup Hyg*, **28**: 401-415.

Kimizuka G, Wang NS, & Hayashi Y (1987) Physical and microchemical alterations of chrysotile and amosite asbestos in the hamster lung. *J Toxicol Environ Health*, **21**: 251-264.

References

- Kimizuka G, Azuma M, Ishibashi M, Shinozaki K, & Hayashi Y (1993) Co-carcinogenic effect of chrysotile and amosite asbestos with benzo(a)pyrene in the lung of hamsters. *Acta Pathol Jpn*, **43**: 149-153.
- Kimura K (1987) [Asbestos and environment.] *Dig Sci Lab*, **42**: 4-13 (in Japanese).
- Kjuus H, Skaerven R, Langard S, Lien J, & Aamodt T (1986) A case-reference study of lung cancer, occupational exposures and smoking. *Scand J Work Environ Health*, **12**: 203-209.
- Kobayashi H, Ming ZW, Watanabe H, & Ohnishi Y (1987) A quantitative study of the distribution of asbestos bodies in extrapulmonary organs. *Acta Pathol Jpn*, **37**(3): 375-83.
- Kodama Y, Boreiko CJ, Mannes SC, & Hesterberg TW (1993) Cytotoxic and cytogenetic effects of asbestos on human bronchial epithelial cells in culture. *Carcinogenesis*, **14**: 691-697.
- Kogan FM (1982) Changes in occupational morbidity among workers in the asbestos mining industry in relation to the improvement of working conditions. *Arch Immunol Ther Exp*, **30**: 277-283.
- Kogan FM (1989) Re: Chrysotile asbestos and mesothelioma of the pleura. *Am J Ind Med*, **15**: 123.
- Kogevinas M, Boffetta P, & Pearce N (1994) Occupational exposure to carcinogens in developing countries. In: Pearce N, Matos E, Vainio H, Boffetta P, & Kogevinas M ed. *Occupational cancer in developing countries*. Lyon, International Agency for Research on Cancer, pp 63-95 (IARC Scientific Publications No. 129).
- Kohyama N (1989) Airborne asbestos levels in non-occupational environments in Japan. In: Bignon J, Peto J, & Saracci J ed. *Non-occupational exposure to mineral fibres*. Lyon, International Agency for Research on Cancer, pp 262-276 (IARC Scientific Publications No. 90).
- Kohyama N & Suzuki Y (1991) Analysis of asbestos fibres in lung parenchyma, pleural plaques and mesothelioma tissues of North American insulation workers. *Ann NY Acad Sci*, **643**: 27-52.
- Korkina LG, Durnev AD, Suslova TB, Cheremisina ZP, Daugel-Dauge NO, & Afanas'ev IB (1992) Oxygen radical-mediated mutagenic effect of asbestos on human lymphocytes: suppression by oxygen radical scavengers. *Mutat Res*, **265**: 245-253.
- Koshi K, Kohyama N, Myojo T, & Fukuda K (1991) Cell toxicity, hemolytic action and clastogenic activity of asbestos and its substitutes. *Ind Health*, **29**: 37-56.
- Kouzan S, Brody AR, Nettesheim P, & Eling T (1985) Production of arachidonic acid metabolites by macrophages exposed *in vitro* to asbestos, carbonyl iron particles, or calcium ionophore. *Am Rev Respir Dis*, **131**: 624-632.
- La Vecchia C, Lucchini F, Negri E, Boyle P, Maisonneuve P, & Levi F (1992) Trends of cancer mortality in Europe, 1955-1989: II. Respiratory tract, bone, connective and soft tissue sarcomas, and skin. *Eur J Cancer*, **28**: 514-599.
- Landesman JM & Mossman BT (1982) Induction of ornithine decarboxylase in hamster tracheal epithelial cells exposed to asbestos and 12-o-tetradecanoylphorbol-13-acetate. *Cancer Res*, **42**: 3669-3675.
- Langer AM & McCaughey WTM (1982) Mesothelioma in a brake repair worker. *Lancet*, **2**: 1101-1102.
- Langer AM & Nolan RP (1986) The properties of chrysotile as determinants of biological activity. In: Wagner C ed. *The biological effects of chrysotile*. Accomplished Oncol, **1**: 30-51.

EHC 203: Chrysotile Asbestos

Langer AM & Nolan RP (1994) Chrysotile: its occurrence and properties as variables controlling biological effects. *Ann Occup Hyg*, **38**: 427-451.

Langer AM & Pooley FD (1973) Identification of single asbestos fibers in human tissue. In: Bogovski P, Gilson JC, Timbrell V, & Wagner JC ed. *Biological effects of asbestos*. Lyon, International Agency for Research on Cancer, pp 199-125 (IARC Scientific Publication No. 8).

Langer AM, Rubin I, & Selikoff IJ (1970) Electron microprobe analysis of asbestos bodies. In: Shapiro A ed. *Proceedings of the International Conference on Pneumoconiosis*, Johannesburg, 1969. Cape Town, Oxford University Press, pp 57-69.

Lauth J & Schurr K (1983) Some effects of chrysotile asbestos on a planktonic alga (*Cryptomonas erosa*). *Micron Microsc Acta*, **14**: 93-94.

Lauth J & Schurr K (1984) Entry of chrysotile asbestos fibres from water into the planktonic alga (*Cryptomonas erosa*). *Micron Microsc Acta*, **15**: 113-114.

Le Bouffant L, Daniel H, Henin JP, & Martin JC (1985) Carcinogenic potency of chrysotile fibres of the length < 5 µm. *Cah Notes Doc*, **118**: 83-89.

Le Bouffant L, Daniel H, Henin JP, Martin JC, Normand C, Tichoux G, & Trolard F (1987) Experimental study on the long-term effects of inhaled MMMF on the lungs of rats. *Ann Occup Hyg*, **31**: 765-790.

Le Gven JMM, Ogden TL, Shenton-Taylor T, & Verrill JF (1984) The HSE/NPL phase contrast test slide. *Ann Occup Hyg*, **28**: 237-247.

Leanderson P, Soederkvist P, Tagesson C, & Axelson O (1988) Formation of 8-hydroxydeoxyguanosine by asbestos and man-made mineral fibres. *Br J Ind Med*, **45**: 309-311.

Lebel J (1995a) Static sampling in the asbestos mines and mills of the members companies of Q.A.M.A. Sherbrooke, Quebec Asbestos Mining Association.

Lebel J (1995b) Review of fibre concentrations in Quebec asbestos mining towns. Sherbrooke, Quebec Asbestos Mining Association.

Lechner JF, Tokiwa T, & La Vek M (1985) Asbestos-associated chromosomal changes in human mesothelial cells. *Proc Natl Acad Sci (USA)*, **82**: 3884-3888.

Lee RJ, Van Orden DR, Corn M, & Crump KS (1992) Exposure to airborne asbestos in buildings. *Regul Toxicol Pharmacol*, **16**: 93-98.

Lemaire I (1985) Characterization of the bronchoalveolar cellular response in experimental asbestosis: Different reactions depending on the fibrogenic potential. *Am Rev Respir Dis*, **131**: 144-149.

Lemaire I (1991) Selective differences in macrophage populations and monokine production in resolving pulmonary granuloma and fibrosis. *Am J Pathol*, **138**: 487-495.

Lemaire I, Nadeau D, Dunnigan J, & Masse S (1985) An assessment of the fibrogenic potential of very short 4T30 chrysotile by intratracheal instillation in rats. *Environ Res*, **36**: 314-326.

Lemaire I, Dubois C, Grondin C, & Gingras D (1986a) Immunoregulation of lung fibroblast growth: alteration in asbestos-induced pulmonary fibrosis. *Clin Exp Immunol*, **66**: 201-208.

References

- Lemaire I, Gingras D, & Lemaire S (1986b) Effects of chrysotile asbestos on DNA synthesis and growth of human embryonic lung fibroblasts. *J Environ Pathol Toxicol Oncol*, **6**: 169-180.
- Lemaire I, Beaudoin H, Masse S, & Girondin C (1986c) Alveolar macrophage stimulation of lung fibroblast growth in asbestos induced pulmonary fibrosis. *Am J Pathol*, **122**: 205-211.
- Lemaire I, Beaudoin H, & Dubois C (1986d) Cytokine regulation of lung fibroblast proliferation: Pulmonary and systematic changes in asbestos induced pulmonary fibrosis. *Am Rev Respir Dis*, **134**: 653-658.
- Lemaire I, Dionne PG, Nadeau D, & Dunnigan J (1989) Rat lung reactivity to natural and man-made fibrous silicates following short-term exposure. *Environ Res*, **48**: 193-210.
- Li AP (1986) *In vitro* lung epithelial cell system for evaluating the potential toxicity of inhalable materials. *Food Chem Toxicol*, **24**: 527-534.
- Liddell FDK (1994) Cancer mortality in chrysotile mining and milling: exposure-response. *Ann Occup Hyg*, **38**: 519-523.
- Liddell FDK, Gibbs GW, & McDonald JC (1982) Radiological changes and fibre exposure in chrysotile workers aged 60-69 years at Thetford Mines. *Ann Occup Hyg*, **26**: 889-898.
- Lippmann M, Yeates DB, & Albert RE (1980) Deposition, retention and clearance of inhaled particles. *Br J Ind Med*, **37**: 337-362.
- Litistorf G, Guillemin M, Buffat P, & Iselin F (1985) Ambient air pollution by mineral fibers in Switzerland. *Staub-Reinhalt Luft*, **45**: 302-307.
- Livingston GK, Rom WN, & Morris MV (1980) Asbestos-induced sister chromatid exchanges in cultured Chinese hamster ovarian fibroblast cells. *J. Environ Pathol Toxicol*, **4**: 373-82.
- Lorimer WV, Rohl AN, & Miller A (1976) Asbestos exposure in brake repair workers in the United States. *Mt Sinai J Med*, **43**: 207-218.
- Lu Y-P, Lasne C, Lowy R, & Chouroulinkov I (1988) Use of the orthogonal design method to study the synergistic effects of asbestos fibres and 12-o-tetradecanoylphorbol-13-acetate (TPA) in the BALB/3T3 cell transformation system. *Mutagenesis*, **3**: 355-362.
- Lund LG & Aust AE (1991) Iron-catalyzed reactions may be responsible for the biochemical and biological effects of asbestos. *BioFactors*, **3**: 83-89.
- Lynch J (1968) Brake lining decomposition products. *J Am Pollut Control Assoc*, **18**: 824-826.
- Lynch JR & Ayer HE (1966) Measurement of dust exposures in the asbestos textile industry. *Am Ind Hyg Assoc J*, **27**: 431-437.
- McClellan RO, Miller FJ, Hesterberg TW, Warheit DB, Bunn WB, Dement JM, Kane AB, Lippmann M, Mast RW, McConnell EE, & Reinhardt CF (1992) Approaches to evaluating the toxicity and carcinogenicity of man-made fibres. *Regul Toxicol Pharmacol*, **16**(3): 321-364.
- McConnell EE (1982) NIEHS carcinogenesis bioassays of chrysotile asbestos in Syrian golden hamsters: Workshop on Ingested Asbestos - Summary . Cincinnati, Ohio, US Environmental Protection Agency, Health Research Laboratory.
- McConnell EE, Shefner AM, Rust JH, & Moore JA (1983) Chronic effects of dietary exposure to amosite and chrysotile asbestos in Syrian Golden hamsters. *Environ Health Perspect*, **53**: 11-25.

EHC 203: Chrysotile Asbestos

- McCrone WC (1978) Identification of asbestos by polarized light microscopy. Gaithersburg, Maryland, US National Bureau of Standards, pp 235-248 (Special Publication 506).
- McCrone (1991) Data provided to the literature review panel, HEI-AR. Norcross, Georgia, McCrone Environmental Services Inc.
- McDermott M, Bevan MM, Elmes PC, Allardyce JT, & Bradley AC (1982) Lung function and radiographic change in chrysotile workers in Swaziland. *Br J Ind Med*, **39**: 338-343.
- McDonald AD & McDonald JC (1980) Malignant mesothelioma in North America. *Cancer*, **46**: 1650-1656.
- McDonald JC & McDonald AD (1993) Re: Work-related mesothelioma in Quebec. *Am J Ind Med*, **24**: 245-246.
- McDonald JC, Becklake MR, Gibbs GW, McDonald AD, & Rossiter CE (1974) The health of chrysotile mine and mill workers of Quebec. *Arch Environ Health*, **28**: 61-68.
- McDonald JC, Liddell FDK, Gibbs GW, Eyssen GE, & McDonald AD (1980) Dust exposure and mortality in chrysotile mining, 1910-75. *Br J Ind Med*, **37**: 11-24.
- McDonald AD, Fry JS, Woolley AJ, & McDonald JC (1983a) Dust exposure and mortality in an American chrysotile textile plant. *Br J Ind Med*, **40**: 361-367.
- McDonald AD, Fry JS, Woolley AJ, & McDonald JC (1983b) Dust exposure and mortality in an American factory using chrysotile, amosite, and crocidolite in mainly textile manufacture. *Br J Ind Med*, **40**: 368-374.
- McDonald AD, Fry JS, Woolley AJ, & McDonald JC (1984) Dust exposure and mortality in an American chrysotile asbestos friction products plant. *Br J Ind Med*, **41**: 151-157.
- McDonald AD, Liddell FDK, & McDonald JC (1992) Malignant mesothelioma in Quebec chrysotile miners and millers: a preliminary report. In: *Proceedings of the Ninth International Symposium on Epidemiology in Occupational Health*. Cincinnati, Ohio, National Institute of Occupational Safety and Health.
- McDonald JC, Liddell FDK, Dufresne A, & McDonald AD (1993) The 1891-1920 birth cohort of Quebec chrysotile miners and millers: mortality 1976-88. *Br J Ind Med*, **50**: 1073-1081.
- McDonald AD, Liddell FDK, & McDonald JC (1994) Malignant mesothelioma in Quebec chrysotile miners and millers: A preliminary report. In: *Proceedings of the 9th International Symposium on Epidemiology in Occupational Health*. Cincinnati, Ohio, National Institute of Occupational Safety and Health.
- McGavran PD, Moore LB, & Brody AR (1990) Inhalation of chrysotile asbestos induced rapid cellular proliferation in small pulmonary vessels of mice and rats. *Am J Pathol*, **136**: 695-703.
- Magnani C, Terracini G, Bertolone GP, Castaneto B, Cocito V, De Giovanni D, Paglieri P, & Botta M (1987) [Mortality from cancer and other diseases of respiratory tract among asbestos-cement workers in Casale Monferrato: historical cohort study.] *Med Lav*, **6**: 441-453 (in Italian).
- Mancuso TF (1988) Relative risk of mesothelioma among railroad workers exposed to chrysotile. *Am J Ind Med*, **13**: 639-657.

References

- Marsh JP & Mossman BT (1988) Mechanisms of induction of ornithine decarboxylase activity in tracheal epithelial cells by asbestiform minerals. *Cancer Res*, **48**: 709-714.
- Marsh JP & Mossman BT (1991) Role of asbestos and active oxygen species in activation and expression of ornithine decarboxylase in hamster tracheal epithelial cells. *Cancer Res*, **51**: 167-173.
- Menichini E & Marconi A (1982) [Asbestos in brake and clutch factories: Results of an environmental survey.] *G Ital Med Lav*, **4**: 197-202 (in Italian).
- Middleton AP (1982) Analysis of airborne dust samples for chrysotile by x-ray diffraction. *Ann Occup Hyg*, **25**: 443-447.
- Middleton AP, Beckett ST, & Davis JMG (1979) Further observations on the short-term retention and clearance of asbestos in rats, using UICC reference samples. *Ann Occup Hyg*, **22**: 141-152.
- Mikalsen SO, Rivedal E, & Sanner T (1988) Morphological transformation of Syrian hamster embryo cells induced by mineral fibres and the alleged enhancement of benzo/a/pyrene. *Carcinogenesis*, **9**: 891-899.
- Millette JR ed. (1983) Summary Workshop on Ingested Asbestos. *Environ Health Perspect*, **53**: 1-204.
- Millette JR, Clark PJ, Pansing FM, & Twyman JD (1980) Concentration and size of asbestos in water supplies. *Environ Health Perspect*, **34**: 13-25.
- Minne E, Lenelle Y, Derouane A, & Verduyn G (1991) Survey of the environmental airborne fiber exposure by transmission electron microscopy. In: Proceedings of the AIA/NIOH International Colloquium on Dust Measurement Techniques and Strategy. Budapest, National Institute of Occupational Health, pp 152-163.
- Monchaux G, Bignon J, Jaurand MC, Lafuma J, Sebastien P, Masse R, Hirsch A, & Goni J (1981) Mesotheliomas in rats following inoculation with acid-leached chrysotile asbestos and other mineral fibres. *Carcinogenesis*, **2**: 229-236.
- Moore LL (1988) Asbestos exposure associated with automotive brake repair in Pennsylvania. *Am Ind Hyg Assoc J*, **49**: A12-A13.
- Morgan A (1994) The removal of fibres of chrysotile asbestos from lung. *Ann Occup Hyg*, **38**: 643-646.
- Morgan A & Cralley LJ (1973) Chemical characteristics of asbestos and associated trace elements. In: Bogovski P, Gilson JC, Timbrell V, & Wagner JC ed. Biological effects of mineral fibres. Lyon, International Agency for Research on Cancer, pp 113-118 (IARC Scientific Publication No. 8).
- Morgan A, Evans JC, & Holmes A (1977) Deposition and clearance of inhaled fibrous minerals in the rat: Studies using radioactive tracer technique. In: Walton HW ed. Inhaled particles IV - Part I. Proceedings of an International Symposium, Edinburgh, 1975. Oxford, Pergamon Press, pp 259-272.
- Mossman BT & Begin RO ed.(1989) Effects of mineral dusts on cells. Berlin, Heidelberg, New York, Springer-Verlag, 470 pp (NATO ASI Series H. Cell Biology, Volume 30)..
- Mossman BT & Sesko AM (1990) *In vitro* assays to predict the pathogenicity of mineral fibers. *Toxicology*, **60**: 53-61.
- Mossman BT, Bignon J, Corn M, Seaton A, & Gee JBL (1990) Asbestos: Scientific developments and implications for public policy. *Science*, **247**: 294-301.

EHC 203: Chrysotile Asbestos

Muhle H, Spurny K, & Pott F (1983) [Inhalation experiments on retention, lung clearance, and migration of asbestos and glass fibres in dependence of cigarette smoking.] VDR-Bericht, **475**: 247-251 (in German).

Muhle E, Pott F, Bellmann B, Takenada S, & Ziem V (1987) Inhalation and injection experiments in rats to test the carcinogenicity of MMF. *Ann Occup Hyg*, **31**: 755-764.

Mukherjee AK, Rajmohan HR, Dave SK, Rajan BK, Kakde Y, & Raghavedra Rao S (1992) An environmental survey in chrysotile asbestos milling processes in India. *Am J Ind Med*, **22**: 543-551.

Nagy B & Bates TF (1952) Stability of chrysotile asbestos. *Am Mineral Rev Mineralogy*, **37**: 1055-1058.

Neuberger M & Kundi M (1990) Individual asbestos exposure: smoking and mortality - a cohort study in the asbestos cement industry. *Br J Ind Med*, **47**: 615-620.

Neuberger M & Kundi M (1993) Cancer in asbestos cement production and implication for risk management. In: Proceedings of the 24th Congress of the International Commission on Occupational Health, Nice, 26 September-1 October 1993. International Commission on Occupational Health and French Ministry of Labour, Employment and Professional Training.

Neuberger M, Frank W, Golob P, & Warbichler P (1996) [Asbestos concentrations in drinking water.] *Zbl Hyg*, **198**(4): 293-306 (in German).

Newhouse ML & Sullivan KR (1989) A mortality study of workers manufacturing friction materials: 1941-86. *Br J Ind Med*, **46**: 176- 179.

Nicholson WJ (1978) Chrysotile asbestos in air samples collected in Puerto Rico. Final Report to US Consumer Products Safety Commission on Contract (CPSC 77128000). New York, Mount Sinai School of Medicine, Environmental Sciences Laboratory.

Nicholson WJ (1988) Airborne levels of mineral fibers in the non-occupational environment. New York, Mount Sinai School of Medicine.

Nicholson WJ & Landrigan PJ (1994) The carcinogenicity of chrysotile asbestos. In: Mehlman MA ed. *Advances in modern environmental toxicology*, Volume XXII. Princeton, New Jersey, Princeton Scientific Publishing Company Inc, pp 407-423.

Nicholson WJ & Pundsack FL (1973) Asbestos in the environment. In: *Biological effects of asbestos*. Lyon, International Agency for Research on Cancer, pp 126-130.

Nicholson WJ, Selikoff IJ, Seidman H, Lillis R, & Formby P (1979) Long-term mortality experience of chrysotile miners and millers in Thetford Mines, Quebec. *Ann NY Acad Sci*, **330**: 11-21

NIOSH (1989a) Asbestos fibers - NIOSH method 7402. In: *NIOSH manual of analytical methods*, revision 1. Cincinnati, Ohio, National Institute of Occupational Safety and Health.

NIOSH (1989b) Asbestos bulk - NIOSH method 9002. In: *NIOSH manual of analytical methods*, revision 1. Cincinnati, Ohio, National Institute of Occupational Safety and Health.

NTP (1985) Toxicology and carcinogenesis studies of chrysotile asbestos in F344/N rats (feed study). Research Triangle Park, US Department of Health and Human Services, National Toxicology Program, 390 pp (Technical Report Series No. 295; NIH Publication No. 86-2551).

Oberdörster G (1994) Macrophage-associated responses to chrysotile. *Ann Occup Hyg*, **38**: 601-615.

References

- Oberdörster G & Lehnert BA (1991) Toxicological aspects of the pathogenesis of fiber-induced pulmonary effects. In: Brown RC ed. Mechanisms in fibre carcinogenesis. New York, Plenum Press, pp 157-179.
- Oberdörster G, Boose C, Pott F, & Pfeiffer U (1980) *In vitro* dissolution rates of trace elements from mineral fibres. In: Brown RC, Chamberlain M, Davies R, & Gormley P ed. New York, London, Academic Press, pp 183-189.
- Oghiso Y, Kagan E, & Brody AR (1984) In pulmonary distribution of inhaled chrysotile and crocidolite asbestos: ultrastructural features. *Br J Exp Pathol*, **65**: 467-484.
- Ohlson CG & Hogstedt C (1985) Lung cancer among asbestos cement workers. A Swedish cohort study and a review. *Br J Ind Med*, **42**: 397-402.
- Olofsson K & Mark J (1989) Specificity of asbestos-induced chromosomal aberrations in short-term cultures of human mesothelial cells. *Cancer Genet Cytogenet*, **41**: 33-39.
- OPCS/HSE (1995) In: Drever F ed. Occupational health decennial supplement No 10. London, Office of Population Censuses and Surveys, Health and Safety Executive, pp 136-152.
- Osgood C & Sterling D (1991) Chrysotile and amosite asbestos induce germ-line aneuploidy in *Drosophila*. *Mutat Res*, **261**: 9-13.
- Palekar LD, Eyre JF, Most BM, & Coffin DL (1987) Metaphase and anaphase analysis of V79 cells exposed to erionite, UICC chrysotile and UICC crocidolite. *Carcinogenesis*, **8**: 553-560.
- Parnes S (1990) Asbestos and cancer of the larynx: is there a relationship? *Laryngoscope*, **100**: 254-261.
- Parsons RC, Bryant DG, & Edstrom HW (1986) Variation in fibre and dust counts in an asbestos mine and mill. *Ann Occup Hyg*, **30**: 63-75.
- Paterour MJ, Bignon J, & Jaurand MC (1985) *In vitro* transformation of rat pleural mesothelial cells by chrysotile fibres and/or benzo/a/pyrene. *Carcinogenesis*, **6**: 523-529.
- Pelin K, Husgafvel-Pursiainen K, Vallas M, Vanhala E, & Linnainmaa K (1992) Cytotoxicity and anaphase aberrations induced by mineral fibres in cultured human mesothelial cells. *Toxic in Vitro*, **6**: 445-450.
- Perkins RC, Scheule RK, Hamilton R, Gomez G, Freidman G, & Holian A (1993) Human alveolar macrophage cytokine release in response to *in vitro* and *in vivo* asbestos exposure. *Exp Lung Res*, **19**: 55-65.
- Peto J (1980) Lung cancer mortality in relation to measured dust levels in an asbestos textile factory. In: Wagner JC ed. Biological effects of mineral fibres. Lyon, International Agency for Research on Cancer, pp 829-836 (IARC Scientific Publications No. 30).
- Peto J (1989) Fibre carcinogenesis and environmental hazards. In: Bignon J, Peto J, & Saracci R ed. Non-occupational exposure to mineral fibres. Lyon, International Agency on Research for Cancer, pp 457-470 (IARC Scientific Publications No. 90).
- Peto J, Doll R, Hermon C, Binns W, Clayton R, & Goffe T (1985) Relationship of mortality to measures of environmental asbestos pollution in an asbestos textile factory. *Ann Occup Hyg*, **29**: 305-355.

EHC 203: Chrysotile Asbestos

Peto J, Hodgson JT, Matthews FE, & Jones JR (1995) Continuing increase in mesothelioma mortality in Britain. *Lancet*, **345**: 535-539.

Petruska JM, Marsh J, Bergeron M, & Mossman BT (1990) Brief inhalation of asbestos compromises superoxide production in cells from bronchoalveolar lavage. *Am J Respir Cell Mol Biol*, **2**: 129-136.

Pigg BJ (1994) The uses of chrysotile. *Ann Occup Hyg*, **38**: 453-458.

Pinkerton KE & Yu CP (1988) Intrapulmonary airway branching and parenchymal deposition of chrysotile asbestos fibres. In: Wehner AP & Felton DL ed. *Proceeding of an International Symposium on Interaction of Inhaled Mineral Fibres and Cigarette Smoke*. Seattle, Washington, Battell Press, pp 211-222.

Pinkerton KE, Plopper CG, Mercer RR, Roggli VL, Patra AL, Brody AR, & Crapo JD (1986) Airway branching patterns influence asbestos fiber location and the extent of tissue injury in the pulmonary parenchyma. *Lab Invest*, **55**: 688-695.

Pinkerton KE, Young SL, Fram EK, & Crapo JD (1990) Alveolar type II cell responses to chronic inhalation of chrysotile asbestos in rats. *Am J Respir Cell Mol Biol*, **3**: 543-552.

Piolatto G, Negri E, La Vecchia C, Pira E, Decarli A, & Peto J (1990) An update of cancer mortality among chrysotile asbestos miners in Balangero, Northern Italy. *Br J Ind Med*, **47**: 810-814.

Platek SF, Groth DH, Ulrich CE, Stettler LF, Finnell MS, & Stoll M (1985) Chronic inhalation of short asbestos fibres. *Fundam Appl Toxicol*, **5**: 327-340.

Polissar NL (1993) Asbestos in drinking water: health issues. In: Gibbs GW, Dunnigan J, Kido K, & Higashi T ed. *Health risks from exposure to mineral fibres - An international perspective*. North York, Captus University Publications, pp 164-182.

Pooley FD (1987) In: Antman K & Aisner J ed. *Asbestos mineralogy*. Orlando, Florida, Grune and Stratton Inc, pp 3-27.

Pott F (1978) Some aspects on the dosimetry of the carcinogenic potency of asbestos and other fibrous dusts. *Staub-Reinhalt Luft*, **38**: 486-490.

Pott F (1994) Asbestos use and carcinogenicity in Germany and a comparison with animal studies. *Ann Occup Hyg*, **38**: 589-600.

Pott F & Friedrichs KH (1972) Tumours in rats after intraperitoneal injection of asbestos dusts. *Naturwissenschaften*, **59**: 318-332.

Pott F, Huth F, & Friederichs KH (1972) [Tumors of rats after i.p. injection of powdered chrysotile and benzo(a)pyrene.] *Zentralbl Bakteriolt Orig B*, **155**(5): 463-469 (in German).

Pott F, Friedrichs KH, & Huth F (1976) [Results of animals experiments concerning the carcinogenic effect of fibrous dusts and their interpretation in regard to the carcinogenesis in humans.] *Zentralbl Bakteriolt Hyg I. Abt Orig B*, **162**: 467-505 (in German).

Pott F, Ziem V, Reiffer KJ, Huth F, Ernst H, & Mohr V (1987) Carcinogenicity studies on fibres, metal compounds and some other dusts in rats. *Exp Pathol*, **32**: 129-152.

Pott F, Roller M, Ziem U, Reiffer FJ, Bellmann B, Rosenbruch M, & Huth F (1989) Carcinogenicity studies on natural and man-made fibres with the intraperitoneal test in rats. In: Bignon J, Peto J, &

References

- Saracci R ed. Non-occupational exposure to mineral fibres. Lyon, International Agency for Research on Cancer, pp 173-179 (IARC Scientific Publication No. 90).
- Price B, Crump KS, & Baird EC (1992) Airborne asbestos levels in buildings: maintenance workers and occupant exposures. *J Exp Anal Environ Epidemiol*, **2**: 357-373.
- Proctor J & Woodall SRJ (1975) The ecology of serpentine soils. *Adv Ecol Res*, **9**: 255-366.
- Raffn E, Lynge E, Juel K, & Korsgaard B (1989) Incidence of cancer and mortality among employees in the asbestos cement industry in Denmark. *Br J Ind Med*, **46**: 90-96.
- Rendall REG (1970) The data sheets on the chemical and physical properties of the UICC standard reference samples. In: Shapiro H ed. *Proceedings of the International Pneumoconiosis Conference*. New York, Pergamon Press, pp 23-77.
- Rickards AL (1973) Estimation of submicrogram quantities of chrysotile asbestos by electron microscopy. *Anal Chem*, **45**: 809-811.
- Rickards AL (1991) AIA activities and the future use of fibres. *Proceedings of the AIA/NIOH International Colloquium on Dust Measurement Techniques and Strategy*. Budapest, National Institute of Occupational Health, pp 62-73.
- Rickards AL (1994) Levels of workplace exposure. *Ann Occup Hyg*, **38**: 469-475.
- Rita P & Reddi PP (1986) Effect of chrysotile asbestos fibres on germ cells of mice. *Environ Res*, **41**: 139-143.
- Ritter-Studnicka H (1970) [The flora of serpentines in Bosnia.] *Bibl Bot*, **130**: 1-100 (in German).
- Roberts BA & Proctor J ed. (1993) *The ecology of areas with serpentinized rocks: A world view*. Amsterdam, Kluwer Academic Publishers, 420 pp.
- Rodelsperger K, Jahn H, Bruckel B, Manke J, Paur R, & Weitowitz HJ (1986) Asbestos dust exposure during brake repair. *Am J Ind Med*, **10**: 63-72.
- Roesler JA, Weitowitz HJ, Lange HJ, Ulm K, Weitowitz RH, & Roedelsperger K (1993) [Effects of occupational asbestos exposure and malignant tumor mortality in Germany: Standardized proportional mortality in high risk groups - Research Report Asbestos IV.] St Augustin, General Federation of Commercial Employment Accident Funds (in German).
- Rogers AJ, Leigh J, Berry G, Ferguson DA, Mulder HB, & Ackad M (1991a) Relationship between lung asbestos fibre type and concentration and relative risk of mesothelioma - a case-control study. *Cancer*, **67**: 1912-1920.
- Rogers AJ, Leigh J, Berry G, Ferguson DA, Mulder HB, Ackad M, & Morgan GG (1991b) Dose-response relationship between airborne and lung asbestos fibre type, length and concentration of the relative risk of mesothelioma. In: McCallum I ed. *Proceedings of the 7th BOHS Inhaled Particles Symposium*, Edinburgh, 1991.
- Roggli VL & Brody AR (1984) Changes in numbers and dimension of chrysotile asbestos fibres in lungs of rats following short-term exposure. *Exp Lung Res*, **7**: 133-147.
- Rohl AN, Langer AM, Wolff MS, & Weisman I (1976) Asbestos exposure during brake lining maintenance and repair. *Environ Res*, **12**: 110-128.

EHC 203: Chrysotile Asbestos

- Rohl AN, Langer AM, Klimentidis R, Wolff A, & Selikoff IJ (1977) Asbestos content of dust encountered in brake maintenance and repair. *Proc R Soc Med*, **70**: 32-37.
- Rom WN & Paakko P (1991) Activated alveolar macrophages express the insulin-like growth factor-I receptor. *Am J Respir Cell Mol Biol*, **4**: 432-439.
- Rood AP (1991) Fibres in the general environment. In: Liddell D & Miller K ed. *Mineral fibres and health*. Boca Raton, Florida, CRC Press, pp 93-102.
- Rooker SJ, Vaughan NP, & Le Guen JM (1982) On the visibility of fibers by phase contrast microscopy. *Am Ind Hyg Assoc J*, **43**: 505-515.
- Rowlands N, Gibbs GW, & McDonald AD (1982) Asbestos fibres in the lungs of chrysotile miners and millers - A preliminary report. *Ann Occup Hyg*, **26**(1-4): 411-415.
- Rowson DM (1978) The chrysotile content of the wear debris of brake lining. *Wear*, **47**: 315-321.
- Rubino GF, Newhouse ML, Murray R, Scansetti G, Piolatto G, & Aresini GA (1979a) Radiologic changes after cessation of exposure among chrysotile asbestos miners in Italy. *Ann NY Acad Sci*, **330**: 157-161.
- Rubino GF, Piolatto G, Newhouse ML, Scansetti G, Aresini GA, & Murray R (1979b) Mortality of chrysotile asbestos workers at the Balangero Mine, Northern Italy. *Br J Ind Med*, **36**: 187-194.
- Ruhe RL & Lipscomb J (1985) Health hazard evaluation report 84-151-1544. Cincinnati, Ohio, National Institute of Occupational Safety and Health.
- Sawyer RN (1977) Asbestos exposure in a Yale building. *Environ Res*, **13**: 146-169.
- Schapira RM, Osornio-Vargas AR, & Brody AR (1991) Inorganic particles induce secretion of a macrophage homologue of platelet-derived growth factor in a density- and time-dependent manner *in vitro*. *Exp Lung Res*, **17**: 1011-1024.
- Schreier H (1987) Asbestos fibers introduce trace metals into streamwater and sediments. *Environ Pollut*, **43**: 229-242.
- Schreier H (1989) *Asbestos in the natural environment*. Amsterdam, Oxford, New York, Elsevier Science Publishers, 159 pp (Studies in Environmental Sciences, Volume 37).
- Schreier H & Timmenga H (1986) Earthwork response to asbestos-rich serpentinitic sediments. *Soil Biol Biochem*, **1**: 85-89.
- Schreier H, Shelford JA, & Nguhyen TD (1986) Asbestos fibers and trace metals in the blood of cattle grazing in fields inundated by asbestos-rich sediments. *Environ Res*, **41**: 95-109.
- Schreier H, Omueti JA, & Lavkulich LM (1987a) Weathering processes of asbestos-rich serpentinitic sediments. *Soil Sci Soc Am J*, **51**: 993-999.
- Schreier H, Northcote T, & Hall K (1987b) Trace metals in fish exposed to asbestos-rich sediments. *Water Air Soil Pollut*, **35**: 279-291.
- Sebastien P, Janson X, Gaudichet A, Hirsch A, & Bignon J (1980) Asbestos retention in human respiratory tissues: comparative measurements in lung parenchyma and in parietal pleura. In: Wagner J ed. *Biological effects of mineral fibres*. Lyon, International Agency for Research on Cancer, pp 237-246 (IARC Scientific Publications No. 30).

References

- Sebastien P, Plourde M, & Robb R (1986a) Ambient air asbestos survey in Quebec mining towns. Part 2 - Main study. Ottawa, Environment Canada (Report 5/AP/RQ-2E).
- Sebastien P, Begin R, Case BW, & McDonald JC (1986b) Inhalation of chrysotile dust. In: Wagner JC ed. The biological effects of chrysotile. Philadelphia, Pennsylvania, JB Lippincott, pp 19-29.
- Sebastien P, McDonald JC, McDonald AD, Case B, & Harley R (1989) Respiratory cancer in chrysotile textile and mining industries: exposure inferences from lung analysis. *Br J Ind Med*, **46**: 180-187.
- Sebastien P, Begin R, & Masse S (1990) Mass, number and size of lung fibres in the pathogenesis of asbestosis in sheep. *Int J Exp Pathol*, **71**: 1-10.
- Seshan K (1983) How are the physical and chemical properties of chrysotile asbestos altered by a 10-year residence in water and up to 5 days in simulated stomach acid? *Environ Health Perspect*, **53**: 143-148.
- Sheehy JW, Godbey FW, Cooper TC, Lenichan KN, & Van Wageningen HD (1987) In-depth survey report: control technology for brake drum service operations at Ohio Department of Transportation Maintenance Facility. Washington, DC, Government Reports Announcements & Index (Issue 16).
- Shride AF (1973) Asbestos. In: Probst D & Pratt W ed. US mineral resources. Washington, DC, US Department of the Interior, pp 63-72.
- Siemiatycki J (1991) Risk factors for cancer in the workplace. Boca Raton, Florida, CRC Press.
- Sincock AM, Delhanty JD, & Casey GA (1982) A comparison of the cytogenetic response to asbestos and glass fibres in CHO cell lines. *Mutat Res*, **101**, 257-268.
- Skidmore JW & Dufficy BL (1983) Environmental history of a factory producing friction material. *Br J Ind Med*, **40**: 8-12.
- Skikne MI, Talbot JH, & Rendall RW (1971) Electron diffraction patterns of UICC asbestos samples. *Environ Res*, **4**: 141-145.
- Skinner HCW, Ross M, & Frondel C (1988) Asbestos and other fibrous materials. New York, Oxford University Press, pp 29-33.
- Smith WE, Hubert DD, Miller L, Badollet MS, & Churg J (1968) Tests for levels of carcinogenicity of asbestos. In: Proceedings of the International Conference on Biological Effects of Asbestos. Berlin, German Central Institute for Occupational Health, pp 240-242.
- Speil S & Leineweber JP (1969) Asbestos minerals in modern technology. *Environ Res*, **2**: 166-208.
- Spurny KR (1982) On the problem of measuring and analysis of chemically changed mineral fibres in the environment and in biological materials. *Sci Total Environ*, **23**: 239-249.
- Stanton MF & Wrench C (1972) Mechanisms of mesothelioma induction with asbestos and fibrous glass. *J Natl Cancer Inst*, **48**: 797-821.
- Stanton MF, Layard M, Tegeris A, Miller M, & Kent E (1977) Carcinogenicity of fibrous glass: pleural response in the rat in relation to fibre dimension. *J Natl Cancer Inst*, **58**: 587-603.
- Sturm W, Menze B, Krause J, & Thriene B (1994) Use of asbestos, health risks and induced occupational diseases in the former East Germany. *Toxicol Lett*, **72**: 317-324.

EHC 203: Chrysotile Asbestos

Szeszenia-Dabrowska N, Wilczynska U, & Szumczak W (1988) A mortality study among male workers occupationally exposed to asbestos dust in Poland. *Pol J Occup Med*, **1**: 77-87.

Teta MJ, Lewinsohn HC, Meigs JW, Vidone RA, Mowad LZ, & Flannery JT (1983) Mesothelioma in Connecticut, 1955-1979. *Occupational and Geographic Association. J Occup Med*, **25**(10): 749-755.

Thomas HF, Benjamin IT, Elwood PC, & Sweetnam PM (1982) Further follow-up study of workers from an asbestos cement factory. *Br J Ind Med*, **39**: 273-276.

Thornton I (1981) Geochemical aspects of the distribution and forms of heavy metals in soils. In: Lepp NW ed. *Effect of heavy metal pollution on plants*. London, New Jersey, Applied Science Publishers, vol 2, pp 1-33.

Tilkes F & Beck EG (1989) Cytotoxicity and carcinogenicity of chrysotile fibres from asbestos-cement production. In: Bignon J, Peto J, & Sarracci R ed. *Non-occupational exposure to mineral fibres*. Lyon, International Agency for Research on Cancer, pp 190-196 (IARC Scientific Publications No. 90).

Timbrell V (1965) The inhalation of fibrous dusts. *Ann NY Acad Sci*, **132**: 255-273.

Timbrell V (1970) The inhalation of fibres. In: Shapiro HA ed. *Proceedings of the International Pneumoconiosis Conference*. New York, Pergamon Press, pp 3-9.

Timbrell V (1973) Physical factors as etiological mechanisms. In: Bogovski P, Gilson JC, Timbrell V, & Wagner JC ed. *Biological effects of asbestos*. Lyon, International Agency for Research on Cancer, pp 295-303 (IARC Scientific Publications No. 30).

Timbrell V (1975) Alignment of respirable asbestos fibres by magnetic fields. *Ann Occup Hyg*, **18**: 299-311.

Timbrell V, Gilson JC, & Webster I (1968) UICC Standard reference samples of asbestos. *Int J Cancer*, **3**: 406-408.

Toft P, Meek ME, Wigle DT, & Meranger JD (1984) Asbestos in drinking water. In: *CRC critical reviews in environmental control*. Ottawa, Department of National Health and Welfare, Health Protection Branch.

Tolbert PE, Eisen EA, Pothier LJ, Monson RR, Hallock MF, & Smith TJ (1992) Mortality studies of machining-fluid exposure in the automobile industry. *Scand J Work Environ Health*, **18**: 351-360.

Toyokuni S & Sagripanti JL (1993) Induction of oxidative single- and double-strand breaks in DNA by ferric citrate. *Free Radiat Biol Med*, **15**: 117-123.

Truhaut R & Chouroulinkov I (1989) Effect of long term ingestion of asbestos fibres in rats. In: Bignon J, Peto J, & Sarracci R ed. *Non-occupational exposure to mineral fibres*. Lyon, International Agency for Research on Cancer, pp 127-134 (IARC Scientific Publications No 90).

Tuckfield RC, Tsay Y, Margeson DP, Ogden J, Chesson J, Buer K, Constant PC, Bergman FJ, & Rose DP (1988) Final report for tasks 1-6: Evaluation of asbestos abatement techniques - Phase 3: Removals. Washington, DC, US Environmental Protection Agency (EPA-68-02-4294).

US Department of Interior (1986) Industrial minerals supply/demand data, 1974/1984 - Mineral industry surveys, April 18, 1986. Washington, DC, US Department of Interior.

References

- US Department of Interior (1991) Asbestos: annual report. Washington, DC, US Department of Interior.
- US Department of Interior (1993) Asbestos in 1992. Mineral Industry Surveys, April 23, 1993. Washington, DC, US Department of Interior.
- US EPA (1980) Air quality criteria for sulfur oxides and particulates. Washington, DC, US Environmental Protection Agency, pp 11/28-11/32 (EPA-600/8-82-029c).
- US EPA (1986) Airborne asbestos health assessment update, Washington, DC, US Environmental Protection Agency, 198 pp (EPA-600/8-84-003F).
- US Occupational Safety and Health Administration (1986) Occupational exposure to asbestos, tremolite, anthophyllite, and actinolite: Final rules. Fed Ref, **29 CFR**: 22612-22790 (Parts 1910 and 1926).
- US Occupational Safety and Health Administration (1994) Occupational exposure to asbestos. Fed Reg, **59**: 40964-41158.
- Vali_F (1993) Influence of exposure conversions and activity-specific exposure-response relationships on the chrysotile asbestos risk assessment. In: Gibbs GW, Dunnigan J, Kido M, & Higashi T ed. Health risks from exposure to mineral fibres. North York, Captus Press Inc, pp 129-135.
- Vali_F & Beriti_-Stahuljak D (1993) Is chrysotile asbestos exposure a significant health risk to the general population? Cent Eur J Public Health, **1**: 26-30.
- Vali_F & Cigula M (1992) Interconvertibility of asbestos fibre count concentrations recorded by three most frequent methods. Arh hig rada toksikol, **43**: 359-364.
- Van de Meeren A, Fleury J, Nebut M, Monchaux G, Janson X, & Jaurand M-C (1992) Mesothelioma in rats following intrapleural injection of chrysotile and phosphorylated chrysotile (chrysophosphate). Int J Cancer, **50**: 937-942.
- Van Wagenen HD (1987) Preliminary survey report: Evaluation of brake drum service controls at Pennsylvania Bureau of Vehicle Management Harrisburg. Cincinnati, Ohio, National Institute of Occupational Safety and Health (Report CT-152-19a).
- Verschaeve L, Palmer P, & In't Veld P (1985) On the uptake and genotoxicity of UICC Rhodesian chrysotile A in human primary lung fibroblasts. Naturwissenschaften, **72**: 326-327.
- Viallat JR, Boutin C, Pietri JF, & Fondarai J (1983) Late progression of radiographic changes in Canari chrysotile mine and mill ex-workers. Arch Environ Health, **38**: 54-58.
- Vincent JH, Johnston WB, Jones AD, & Johnston AM (1981) Static electrification of airborne asbestos: a study of its causes, assessment and effects on deposition in the lungs of rats. Am Ind Hyg Assoc J, **42**: 711-721.
- Wagner JC (1962) Experimental production of mesothelial tumours of the pleura by implantation of dusts in laboratory animals. Nature (Lond), **196**: 180-181.
- Wagner JC & Skidmore JW (1965) Asbestos dust deposition and retention in rats. Ann NY Acad Sci, **132**: 77-86.

EHC 203: Chrysotile Asbestos

Wagner JC, Berry G, & Timbrell V (1973) Mesotheliomata in rats after inoculation with asbestos and other minerals. *Br J Cancer*, **28**: 173-185.

Wagner JC, Berry G, Skidmore JW, & Timbrell V (1974) The effects of the inhalation of asbestos in rats. *Br J Cancer*, **29**: 252-269.

Wagner JC, Berry G, Skidmore JW, & Pooley FD (1980) The comparative effects of three chrysotiles by injection and inhalation in rats. In: Wagner JC ed. *Biological effects of mineral fibres*. Lyon, International Agency for Research on Cancer, pp 363-373 (IARC Scientific Publications No. 30).

Wagner JC, Berry G, & Pooley FD (1982) Mesotheliomas and asbestos type in asbestos textile workers. *Br Med J*, **285**: 606-606.

Wagner JC, Berry GB, Hill RJ, Munday DE, & Skidmore JW (1984) Animals experiments with MMM(V)F. Effects of inhalation and intraperitoneal inoculation in rats. In: *Proceedings of a WHO/IARC Conference: Biological Effects of Man-Made Mineral Fibres*. Copenhagen, World Health Organization, Regional Office for Europe, 209-233.

Walton NH (1982) The nature, hazards and assessment of occupational exposure to airborne asbestos dust: a review. *Ann Occup Hyg*, **25**(special issue): 117-247.

Wehner AP, Stuart BO, & Sanders CL (1979) Inhalation studies with Syrian golden hamsters. *Proc Exp Tumor Res*, **24**: 177.

Weill H, Rossiter CE, Waggenspack C, Jones RN, & Ziskind MM (1979) Differences in lung effects resulting from chrysotile and crocidolite exposure. In: Walton WH ed. *Inhaled particles IV*. Oxford, Pergamon Press, vol 2, pp 789-796.

Weiner R, Rees D, Lunga FJP, & Felix MA (1994) Third wave of asbestos-related disease from secondary use of asbestos. *S Afr Med J*, **84**: 158-160.

Weitzman SA & Graceffa P (1984) Asbestos catalyzes hydroxyl and superoxide radical generation from hydrogen peroxide. *Arch Biochem*, **228**: 373-376.

Weitzman SA & Weitberg AB (1985) Asbestos-catalysed lipid peroxidation and its inhibition by desferrioxamine. *Biochem J*, **225**: 259-262.

White CD (1967) Absence of nodule formation on *Ceanothus cruneatu* in serpentine soils. *Nature (Lond)*, **215**: 875.

WHO (1985) Reference methods for measuring airborne man-made mineral fibres (MMMMF). Copenhagen, World Health Organization, Regional Office for Europe, pp 36-54.

WHO (1989) Occupational exposure limit for asbestos. Geneva, World Health Organization, Occupational Health (WHO/OCH 89.1).

WHO (1997) Determination of airborne fibre number concentrations: A recommended method by phase contrast optical microscopy. Geneva, World Health Organization. Occupational Health.

Wicks FJ (1979) Mineralogy, chemistry and crystallography of chrysotile asbestos. In: Ledoux RL ed. *Short course in mineralogical techniques of asbestos determination*. Ottawa, Mineralogical Association of Canada, pp 35-78.

Wild H (1975) Termites and serpentines of the Great Dyke of Rhodesia. *Trans Rhod Sci Assoc*, **57**: 1-11.

References

- Wilkinson P, Hansell DM, Janssens J, Rubens M, Rudd RM, Newman Taylor A, & McDonald C (1995) Is lung cancer associated with asbestos exposure when there are no small opacities on the chest radiograph? *Lancet*, **345**: 1074-1078.
- Williams RL & Muhlbaier JL (1982) Asbestos brake emissions. *Environ Res*, **29**: 70-82.
- Wither ED & Brooks RR (1977) Hyperaccumulation of nickel by some plants of Southeast Asia. *J Geochem Explor*, **8**: 579-583.
- Woitowitz HJ & Rodelsperger K (1991) Chrysotile asbestos and mesothelioma. *Am J Ind Med*, **19**: 551-553.
- Woitowitz HJ & Rodelsperger K (1992) Chrysotile asbestos, mesothelioma and garage mechanics. *Am J Ind Med*, **21**: 453-455.
- Woitowitz HJ & Rodelsperger K (1994) Mesothelioma among car mechanics? *Ann Occup Hyg*, **38**(4): 635-638.
- Woodroffe HM (1956) Pyrolysis of chrysotile asbestos fibre. *Trans Can Inst Min & Met*, **59**: 363-368.
- Wright A, Cowie H, Gormley IP, & Davis JMG (1986) The *in vitro* cytotoxicity of asbestos fibres: I.p388D1 cells. *Am J Ind Med*, **9**: 371-384.
- Yada K (1967) Study of chrysotile asbestos by a high resolution electron microscope. *Acta Cryst*, **23**: 704-707.
- Yang MY, Zhang JF, Fu B, Xu GH, Xu SL, Zhao XQ, Zhan QJ, & Zhao JD (1990) [Experimental study on incidence of pleural mesothelioma of rats caused by asbestos fibres of various length.] *Chin J Ind Hyg Occup Dis*, **8**: 292-294 (in Chinese).
- Yegles M, Saint-Etienne L, Renier A, Janson X, & Jaurand MC (1993) Induction of metaphase and anaphase/telophase abnormalities by asbestos fibers in rat pleural mesothelial cells *in vitro*. *Am J Respir Cell Mol Biol*, **9**: 186-191.
- Yoshimura H & Takemoto K (1991) [Effect of cigarette smoking and/or N-bis(2-hydroxypropyl)nitrosamine (PHPN) on the development of lung and pleural tumors in rats induced by administration of asbestos.] *Jpn J Ind Health*, **33**: 81-93 (in Japanese).
- Zhu H & Wang Z (1993) Study of occupational lung cancer in asbestos factories in China. *Br J Ind Med*, **50**: 1039-1042.
- Zou S, Wu Y, Ma F, Ma H, Sueng W, & Jiang Z (1990) Retrospective mortality study of asbestos workers in Laiyuan. In: Proceedings of the VIth International Pneumoconiosis Conference. Pittsburgh, Ohio, Public Health Service, part II, pp 1242-1244 (Publication (NIOSH) No. 90-108).